

Proceedings of the meeting of 3rd Technical Appraisal Committee (TAC) held on 10th January 2024, 10.00 AM onwards at NIC-Conference Hall, Armsdale Building, H.P. Secretariat, Shimla, HP.

List of participants is at Annexure A

Decisions of TAC is at Annexure B

1. At the outset, the Dr. Rohit Chauhan (GIS and RS Specialist) welcomed Sh. Nishant Thakur – HPAS, Additional Secretary – Education, DPM-PMU (SDMF) to the Government of Himachal Pradesh, the Members of Technical Appraisal Committee (TAC), the Nodal officers of various departments and the officers of various Departments who had joined through video conference and he also discussed the agenda of the meeting.
2. After that the he discussed the guidelines of State Disaster Mitigation Funds (SDMF) to make clarity to TAC members on SDMF provision and said that at least 10% funds in a year should be earmarked for the non-structural measures and not more than 50% of funds may be utilized to mitigate any single hazard whereas up to 5% of the NDMF/ SDMF, funds may be earmarked for small grants window to support small proposals related to innovation, technology, community leadership, research, studies and learning.
3. He stressed that the Implementing Agencies would ensure that the titles of project proposals should be clearly and accurately reflect the work described in the PPRs/DPRs. He requested to Implementing Agencies that PMU has shared the Power Point Presentation format for the DPR representations and all the departments shall have to prepare the DPRs in accordance to this format.
4. Further, he requested to DDMA's to speed up the implementation work of retrofitting of lifeline buildings (Hamirpur, Kangra, Kinnaur, and Sirmaur) which was sanctioned in the 20th meeting of SEC. These projects further monitor by conducting three audits i.e Financial Audit, technical, social audit.
5. He also directed the coordinators of concerned District Disaster Management Authorities (DDMA's) to provide the consolidated PPRs and DPRs list of respective districts 2 day before of PAC and TAC meeting. It is also important to mention the reference of PAC where it has approved and the estimated cost.
6. The DPM –PMU informed to all implementing agencies and DDMA coordinators that the PPR shall be considered in the PAC and after the recommendation it will considered and evaluated by the TAC members.

7. After suggestions from TAC members, it was decided in the meeting that minor observations related to recommendations made in principle with modifications should be addressed by PMU, and if observations will be resolved by the Implementing agencies, the proposals shall be considered in the SEC after the approval of higher authority.

At the conclusion of the meeting, Sh. Nishant Thakur –HPAS (Rev-DM) expressed his gratitude to all the Technical Advisory Committee (TAC) members for dedicating their valuable time to the discussions and deliberations during the meeting. His acknowledgment highlights the importance of the TAC members' contributions and their commitment to the project's progress and success.

The meeting ended with a vote of thanks.



Nishant Thakur (HPAS)
Deputy Programme Manager
Project Management Unit

Endst. No. No. Rev. (DMC) (F) 9-1/2022-DPRs-MF

Dated the Jan, 2024

Copy forwarded for information and necessary action to:-

1. All the Members of the TAC.
2. The Deputy Commissioner-cum-Chairman, DDMA's, all districts (concerned) in HP.
3. The Director of Energy, Shakti Bhawan, Sector-6, New Shimla-9.
4. The Engineer-in-Chief (PWD), Nirman Bhawan, Shimla-2.
5. The Engineer-in-Chief (JSV), Tutikandi, Shimla-2.
6. The Director, Department of Agriculture, HP.
7. The Director, Health Services, Health and Family Welfare Directorate, SDA Complex Kasumpti, Shimla-9.
8. The Director, Directorate of Elementary Education, Lalpani, Shimla.
9. The Director, CBRI Roorkee.
10. The Director, NITTTR, Chandigarh.
11. All the participants of the meeting.



Deputy Programme Manager
Project Management Unit

Annexure-A**List of Participants**

Sr. No.	Name	Designation/Organization
1.	Sh. Nishant Thakur	Deputy Programme Manager (SDMF)
2.	Sh. Naresh Kumar	CME (PMU) AC(F&A),DMC
3.	Sh. S.K. Negi	Chief Scientist, CBRI Roorkee
4.	Dr. Ajay Chourasia	Chief Scientist, CBRI Roorkee
5.	Dr. R.S. Banshtu	Associate Professor, NIT Hamirpur
6.	Dr. B.S.Thakur	Associate Professor, NIT Hamirpur
7.	Dr. K.V.Uday	Assistant Professor , IIT Mandi
8.	Dr. Kesar Chand	Scientist-C G.B.P.N.I.H.E-Kullu Unit
9.	Dr. S. S. Randhawa`	Principal Scientific Officer, HIMCOSTE
10.	Dr. Sandip Kumar Saha	Associate Professor, IIT Mandi
11.	Sh. B.S Thakur	SE, JSV Circle Shimla-9
12.	Sh. Vivek Thakur	Executive Engineer, JSV Nagrota Bagwan
13.	Sh. Aneesh Thakur	Executive Engineer, JSV Dehra
14.	Sh. Sandeep Guleria	AE, JSV Dharamshala
15.	Er. Dinesh	Executive Engineer, PWD Kalpa
16.	Er. Abhishek Sharma	Executive Engineer, JSV PEO
17.	Er. Sanjay Thakur	Executive Engineer, JSD Hamirpur
18.	Sh. Jitesh Kumar	Assistant Engineer, JSV Sujampur
19.	Sh. Ashish Chaudhary	Assistant Engineer JSV Haroli
20.	Sh. Manmohan Singh	Range Officer, Kalpa
21.	Sh Sanjeev Kumar	Junior Engineer, JSV Una
22.	Sh. Chandan Parmar	Junior Engineer, Kotkhai
23.	Sh. M. R Sharma	Advisor, Forest Kinnaur
24.	Sh. Vishal	Consultant, HPPWD
25.	Dr. Rohit Chauhan	GIS&RS Spl, Revenue Dept. (DM Cell)
26.	Lata Thakur	CO, Revenue, PMU-DM Cell
27.	Devender Garg	CO, PMU-DM Cell
28.	Priyanka	DEO, PMU-DM Cell
Virtual Mode		
1.	Officers from HP JSV & HPPWD Departments	
2.	Nodal Officers (DM), District Level	
3.	Sr. Officers from Various Departments	
4.	All the concerned Coordinators from DDMA's, Himachal Pradesh	

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

	Name of the Submitting Agency	District	Full Title of the Proposal	Hazard being Mitigated	D P R	IA	Fund Requirement	Remarks
1	DC –cum- Chairperson DDMA Bilaspur	Bilaspur	DPR for landslide Mitigation Measure to project the hill slope for Bagchhal Bridge Over Kutehla Kiyarian Bagchhal road district Bilaspur under SDMF, Estimated Cost.Rs90044946/-	Landslide Mitigation	DPR	HPPWD Division II Bilaspur	9,00,44,946	Recommended in Principle with modifications:- <ul style="list-style-type: none"> All the proposed measures and its alternative should be examined. Need to recheck the stability design and calculation. Landslide prone area required to be reinvestigated. The Cost mentioned in PAC-II, by the IA was ₹. 90000000 and same was approved, however the project cost is ₹ 90044946 and difference of the amount need to be approved by the SEC
2	DC-cum Chairperson DDMA, Bilaspur	Bilaspur	DPR on disaster mitigation for damages occurred due to heavy rain/flash flood/landslide during monsoon 2023 in JSV subdivision Jhandutta, tehsil Jhandutta Bilaspur.	Flood Mitigation	DPR	JSV Jhandutta	2,04,72,000	Project shall be re-examined by IA <ul style="list-style-type: none"> Under SDMF, there is no provision to provide fund under restoration/repair related work
3	JSV Ghumarwin	Bilaspur	Proposal on disaster mitigation for damages occurred due to heavy rain/flash flood/ Landside during Monsoon 2023 in JSV Sub Division Ghumarwin/Bharari in Tehsil Ghumarwin District Bilaspur	Flood Mitigation	DPR	JSV Ghumarwin	4,92,00,000	Project shall be re-examined by IA <ul style="list-style-type: none"> Under SDMF, there is no provision to provide fund under restoration/repair related work
4	JSV Bilaspur	Bilaspur	Report for providing Disaster Mitigation Measures to village Dabat in Dabat Khad in Tehsil Sh Naina Devi ji, District Bilaspur	Flood Mitigation	DPR	JSV Bilaspur	1,22,94,300	Recommended
5	DC-cum Chairperson DDMA Chamba	Chamba	DPR of Landslide disaster over Maihly Ghaar on Panjla Kiyod Malwan Road Km 0/0 to 4/0 at RD 1/075 to 1/125	Landslide Mitigation	DPR	PWD Dalhousie	4,41,40,000	Project shall be re-examined by IA <ul style="list-style-type: none"> The title of project reflect that implementing agency needs to repair a long stretch which is not feasible under SDMF.
6	DC-cum Chairperson DDMA Chamba	Chamba	Landslide Mitigation Measures of landslide Disaster Over Dharna Ghar on Shahpur Sihunta Chowari VIA Jot Chamba Bharmoure Road KM 0/00 to 40/000 (MDR-87) at RD 31/320 to 31/567.	Landslide Mitigation	DPR	PWD Dalhousie	2,08,53,000	Project shall be re-examined by IA <ul style="list-style-type: none"> The title of project reflect that implementing agency needs to repair a long stretch which is not feasible under SDMF.
7	DC-cum- Chairperson DDMA	Chamba	DPR of landslide over Siun Ghaar on Binna Godha Siun Road 3/075 to 3/120.	Landslide Mitigation	DPR	HPPWD Chowari	2,87,56,000	Recommended in Principle with modifications:- <ul style="list-style-type: none"> The Cost mentioned in PAC-I, by the IA was ₹ 9002966 and same was approved, however the project cost is ₹ 28756000 and difference of the amount need to be approved by the PAC

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

8	DC-cum-Chairperson DDMA	Chamba	DPR of landslide over Narghara Ghaar on Shahpur sihunata Chowari via Jot Chamba road km 40/000 to 76/000.	Landslide Mitigation	DPR	HPPWD Chowari	18,68,91,000	<p>Recommended</p> <ul style="list-style-type: none"> The Cost mentioned in PAC-I, by the IA was ₹ 22000897 and same was approved, however the project cost is ₹ 186891000 and difference of the amount need to be approved by the PAC Recommend for NDMF, subject to the SEC approval DPR needs to be resubmitted as per NDMF guidelines The title of project reflect that implementing agency needs to repair a long stretch which is not feasible under SDMF.
9	DC-cum-Chairperson DDMA	Chamba	DPR of landslide disaster over Dukhar ghaar on Shahpur Siunta Chowari Via Jot Chamba road Km 40/00 (MDR-87)(Portion RD 27/000 to 27/350, 27/450 to 27/550 & 27/650 to 27/750	Landslide Mitigation	DPR	HPPWD Chowari	22,34,95,000	<p>Recommended</p> <ul style="list-style-type: none"> The Cost mentioned in PAC-I, by the IA was ₹ 39843448 and same was approved, however the project cost is ₹ 223495000 and difference of the amount need to be approved by the PAC Recommend for NDMF, subject to the SEC approval DPR needs to be resubmitted as per NDMF guidelines
10	DC-cum-Chairperson DDMA	Chamba	DPR of Landslide Disaster over Bharampala ghar on Shahapur Sihunta Chowari Jot Chamba Road Km 40/000 to 76/000.	Landslide Mitigation	DPR	HPPWD Chowari	13,64,17,000	<p>Project shall be re-examined by IA</p> <ul style="list-style-type: none"> The title of project reflect that implementing agency needs to repair a long stretch which is not feasible under SDMF.
11	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., S Randoh	Earthquake	DPR	SSA	2,90,805	Recommended
12	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GMS Dughar , Sundla	Earthquake	DPR	SSA	6,64,852	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., GMS Dughar , Sundla	Earthquake	DPR		3,72,651	Recommended
13	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GMS Gareema, Bharmour.	Earthquake	DPR	SSA	8,37,759	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., GMS Gareema, Bharmour.	Earthquake	DPR		4,44,132	Recommended

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

14	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., CPS Karian Hardaspur.	Earthquake	DPR	SSA	13,25,700	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., CPS Karian Hardaspur.	Earthquake	DPR	SSA	4,61,282	Recommended
15	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GPS Sarotha, Bharmour.	Earthquake	DPR	SSA	10,19,017	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., GPS Sarotha, Bharmour.	Earthquake	DPR	SSA	5,06,834	Recommended
16	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GCPS Ranuh Kothi Garcia.	Earthquake	DPR	SSA	7,28,347	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., GCPS Ranuh Kothi Garcia.	Earthquake	DPR	SSA	5,08,716	Recommended
17	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GPS Gehra.	Earthquake	DPR	SSA	5,69,089	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., GPS Gehra.	Earthquake	DPR		8,56,822	Recommended
18	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GSSS Bakani , Mehla.	Earthquake	DPR	SSA	6,09,648	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., GSSS Bakani , Mehla.	Earthquake	DPR		8,80,687	Recommended

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

	DC-cum-Chairperson DDMA	Chamba	Block C Regarding retrofitting of school of District Chamba, GSSS Bakani , Mehla.	Earthquake	DPR		10,93,714	Recommended
19	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GPS Serkow, Bharmour.	Earthquake	DPR	SSA	7,57,392	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., GPS Serkow, Bharmour.	Earthquake	DPR		6,39,422	Recommended
20	DC-cum-Chairperson DDMA	Chamba	BlockA Regarding retrofitting of school of District Chamba., S Rajera, Hardaspura.	Earthquake	DPR	SSA	6,86,952	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., S Rajera, Hardaspura.	Earthquake	DPR		14,43,169	Recommended
21	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., Hardaspura.	Earthquake	DPR	SSA	7,50,892	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba.,GMS Hardaspura	Earthquake	DPR		6,93,680	Recommended
22	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GPS Baggi, Sundla.	Earthquake	DPR	SSA	8,57,287	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., GPS Baggi, Sundla.	Earthquake	DPR		7,05,446	Recommended
23	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., CPS Ghared, Bharmour.	Earthquake	DPR	SSA	10,11,413	Recommended

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

24	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GHS Ghared, Bharmour.	Earthquake	DPR	SSA	7,07,323	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba, GHS Ghared, Bharmour.	Earthquake	DPR		11,52,374	Recommended
25	DC-cum-Chairperson DDMA	Chamba	Regarding retrofitting of school of District Chamba., GPS Kaniarka, Banikhet.	Earthquake	DPR	SSA	7,21,739	Recommended
26	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GPS GPS Bagdhar, Banikhet.	Earthquake	DPR	SSA	10,64,679	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., GPS GPS Bagdhar, Banikhet.	Earthquake	DPR		7,35,566	Recommended
27	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GPS Naghunei.	Earthquake	DPR	SSA	7,47,463	Recommended
28	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GPS Lylh.	Earthquake	DPR	SSA	21,61,987	Recommended
29	DC-cum-Chairperson DDMA	Chamba	Block A, Regarding retrofitting of school of District Chamba., GSSS Lylh.	Earthquake	DPR	SSA	10,57,575	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., GSSS Lylh.	Earthquake	DPR		11,63,093	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block C Regarding retrofitting of school of District Chamba., GSSS Lylh.	Earthquake	DPR		7,52,780	Recommended

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

	DC-cum-Chairperson DDMA	Chamba	Block D Regarding retrofitting of school of District Chamba., GSSS Lylh.	Earthquake	DPR		12,22,394	Recommended
30	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GPS Kail, Banikhet.	Earthquake	DPR	SSA	7,54,718	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., GPS Kail, Banikhet.	Earthquake	DPR		10,21,353	Recommended
31	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., S Kundi Dhar, Salooni.	Earthquake	DPR	SSA	9,32,688	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., S Kundi Dhar, Salooni.	Earthquake	DPR		12,08,373	Recommended
32	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GPS Thalia, Bharmour.	Earthquake	DPR	SSA	9,55,737	Recommended
33	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GCPS Chowari(B),Chowari.	Earthquake	DPR	SSA	11,63,990	Recommended
	DC-cum-Chairperson DDMA	Chamba	Block B Regarding retrofitting of school of District Chamba., GCPS Chowari(B),Chowari.	Earthquake	DPR		11,92,584	Recommended
34	DC-cum-Chairperson DDMA	Chamba	Regarding retrofitting of school of District Chamba., GPS Kund, Sundla.	Earthquake	DPR	SSA	14,92,945	Recommended
35	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GPS Sungal, Kiani.	Earthquake	DPR	SSA	15,56,754	Recommended

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

36	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GMS Nichali, Tiari Garcia.	Earthquake	DPR	SSA	16,64,640	Recommended
37	DC-cum-Chairperson DDMA	Chamba	Block A Regarding retrofitting of school of District Chamba., GMS Bhandar Kiani.	Earthquake	DPR	SSA	20,09,596	Recommended
38	DC-cum-Chairperson DDMA	Chamba	Block -A GPS Dand, Salooni	Earthquake	DPR	SSA	7,82,705	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
	DC-cum-Chairperson DDMA	Chamba	Block -B GPS Dand, Salooni	Earthquake	DPR	SSA	10,00,196.59	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
	DC-cum-Chairperson DDMA	Chamba	Block -C GPS Dand, Salooni	Earthquake	DPR	SSA	8,55,962.66	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
39	DC-cum-Chairperson DDMA	Chamba	Block -A GSSS Gagla, Hardaspura	Earthquake	DPR	SSA	16,79,852	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
	DC-cum-Chairperson DDMA	Chamba	Block -B GSSS Gagla, Hardaspura	Earthquake	DPR	SSA	7,40,981	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
40	DC-cum-Chairperson DDMA	Chamba	Block -A GSSS Sillagharat, Chamba	Earthquake	DPR	SSA	7,62,490	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
	DC-cum-Chairperson DDMA	Chamba	Block -B GSSS Sillagharat, Chamba	Earthquake	DPR	SSA	18,54,099	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

	DC-cum-Chairperson DDMA	Chamba	Block -C GSSS Sillagharat, Chamba	Earthquake	DPR	SSA	4,62,533	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
41	DC-cum-Chairperson DDMA	Chamba	Block -A GSSS Pukhri, Kiani	Earthquake	DPR	SSA	7,76,364	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
	DC-cum-Chairperson DDMA	Chamba	Block -B GSSS Pukhri, Kiani	Earthquake	DPR	SSA	35,66,219	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
42	DC-cum-Chairperson DDMA	Chamba	GPS Tissa, Tissa	Earthquake	DPR	SSA	19,12,966	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
43	DC-cum-Chairperson DDMA	Chamba	GSSS Charda, Kalhel	Earthquake	DPR	SSA	15,36,896	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
44	DC-cum-Chairperson DDMA	Chamba	GSSS Khalli, Kalhel	Earthquake	DPR	SSA	10,69,319	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
45	DC-cum-Chairperson DDMA	Chamba	Block -A GSSS Tissa	Earthquake	DPR	SSA	27,79,947	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
	DC-cum-Chairperson DDMA	Chamba	Block -B GSSS Tissa	Earthquake	DPR	SSA	27,61,355	Recommended TAC recommended but PAC recommendation is required before to consider in SEC.
	DC-cum-Chairperson DDMA	Chamba	Block -D GSSS Tissa	Earthquake	DPR	SSA	7,29,837	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
46	DC-cum-Chairperson DDMA	Chamba	Block -A GSSS Jhajja Kothi	Earthquake	DPR	SSA	23,12,040	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

	DC-cum-Chairperson DDMA	Chamba	Block -B GSSS Jhajja Kothi	Earthquake	DPR	SSA	8,89,929	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
	DC-cum-Chairperson DDMA	Chamba	Block -C GSSS Jhajja Kothi	Earthquake	DPR	SSA	16,37,873	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
47	DC-cum-Chairperson DDMA	Chamba	Block -A GSSS Telka	Earthquake	DPR	SSA	13,50,653	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
48	DC-cum-Chairperson DDMA	Chamba	Block -A GSSS Chanju	Earthquake	DPR	SSA	15,03,274	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
	DC-cum-Chairperson DDMA	Chamba	Block -B GSSS Chanju	Earthquake	DPR	SSA	32,23,417	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
49	DC-cum-Chairperson DDMA	Chamba	Block -A CH Kihar	Earthquake	DPR	SSA	7,55,455	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
	DC-cum-Chairperson DDMA	Chamba	Block -B CH Kihar	Earthquake	DPR	SSA	8,11,604	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
50	DC-cum-Chairperson DDMA	Chamba	Block -A CH Killar	Earthquake	DPR	SSA	13,18,862	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
51	DC-cum-Chairperson DDMA	Chamba	Block -A CHC Bathree	Earthquake	DPR	SSA	8,41,578	Recommended TAC recommended but PAC recommendation is required before being considered before SEC.
52	DC-cum-Chairperson DDMA	Chamba	Block -A CHC Salooni	Earthquake	DPR	SSA	23,65,881	Recommended <ul style="list-style-type: none"> TAC recommended but PAC recommendation is required before being considered before SEC.

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

53	DC-cum-Chairperson DDMA	Chamba	DPR of Landslide Disaster Over Jatroot & Trimath village on Ghatazni Pul to Bhalog Road Km 0/00 to 7/360	Landslide Mitigation	DPR	HPPWD Chowari	36,41,89,000	Project shall be re-examined by IA <ul style="list-style-type: none"> The title of project reflect that implementing agency needs to repair a long stretch which is not feasible under SDMF.
54	DC-cum-Chairperson DDMA	Chamba	DPR of Landslide Disaster Over Tikkargalla ghar on Nurpur Sanjha Nallah Lahru Tunnuhati road Km	Landslide Mitigation	DPR	HPPWD Chowari	9,23,66,000	Recommended in Principle with modifications:- <ul style="list-style-type: none"> The Cost mentioned in PAC-I, by the IA was ₹ 91724411 and same was approved, however the project cost is ₹ 92366000 and difference of the amount need to be approved by the PAC Recommend for NDMF, subject to the SEC approval. DPR needs to be resubmitted as per NDMF guidelines
55	DC-cum-Chairperson DDMA	Chamba	DPR of Landslide Disaster Over Samote to Dramnallh road Km 0/00 to 12/435	Landslide Mitigation	DPR	HPPWD Chowari	37,61,16,000	Project shall be re-examined by IA <ul style="list-style-type: none"> The title of project reflect that implementing agency needs to repair a long stretch which is not feasible under SDMF.
56	Superintending Engineer, JSC Chamba	Chamba	DPR for providing fire fighting System to Kakira & Chowari Town in tehsil Bhattiyat District Chamba	Fire Mitigation	DPR	JSV Chamba	2,20,78,023	Recommended
57	Superintending Engineer, JSC Chamba	Chamba	DPR for providing fire fighting System to Sihunta & Samote Kasba in tehsil Sihunta District Chamba	Fire Mitigation	DPR	JSV Chamba	1,62,65,039	Recommended
58	Superintending Engineer, JSC Chamba	Chamba	DPR for providing fire fighting System to Chamba town in tehsil & District Chamba	Fire Mitigation	DPR	JSV Chamba	7,83,60,000	Recommended
59	Jal Shakti vibhag	Chamba	Providing firefighting system to Block Bharmour and Mehla District Chamba	Fire Mitigation	DPR	JSV Bharmaur	24,52,66,000	Project shall be re-examined by IA <ul style="list-style-type: none"> TAC recommended but PAC recommendation is required before to consider in SEC. Segregate the DPR's for different area, and re-submit individual DPRs for different area before PAC
60	Jal Shakti vibhag	Chamba	Providing Fire Fighting system to various Gram Panchayats under Development Block Chamba	Fire Mitigation	DPR	JSV Chamba and Tissa	2,15,13,677	Recommended TAC recommended but PAC recommendation is required before to consider in SEC.

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

61	DC –cum- Chairperson DDMA Hamirpur	Hamirpur	Providing Flood protection works to various water supply scheme in Kuhan Khad & Man Khad in District Hamirpur	Flood Mitigation	DPR	JSV Nadaun	8,50,00,000	<p>Recommended in Principle with modifications:-</p> <ul style="list-style-type: none"> Flood modelling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the Khad Flood zonation map of complete catchment indicating priority actions in GIS format. Material characteristic and quantity confirmation required. Historical analysis of past HFL data in consonance with the present precipitation trends. DPR need to resubmitted in accordance with the SDMF guidelines.
62	Deputy Commissioner-cum- Chairperson DDMA	Hamirpur	Landslide Mitigation Measures of Prevention of Disaster at Cow Sanctuary khairi, GP Khairi, Tehsil Sujapur.	Landslide Mitigation	DPR	Division Tauni Devi-HPPWD	89,58,100	<p>To be put before next TAC, after removal of these observation</p> <ul style="list-style-type: none"> Need to review the latest seismic zoning code of India Revenue land classification may be attached of the proposed site The project cost should be re-estimated DPR need to resubmitted in accordance with the SDMF guidelines.
63	Deputy Commissioner-cum- Chairperson DDMA	Hamirpur	Channelization of nallah & realignment of sewerage pipeline in flood affected area in Ward No-8, Sujapur Town.	Flood Mitigation	DPR	Jal Shakti Vibhag	2,36,00,000	<p>Recommended in Principle with modifications:-</p> <ul style="list-style-type: none"> Flood modelling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the river
64	Deputy Commissioner-cum- Chairperson DDMA	Hamirpur	Disaster Management of flood protection work on the bank of river Beas near industrial area, helipad site, IPH Scheme, Proposed wellness centre, Shiv Dham (SH: C/O RCC wall, wire crate wall, stone Pitching etc)	Flood Mitigation	DPR	PWD, Division Hamirpur	16,37,12,900	<p>Recommended in Principle with modifications:-</p> <ul style="list-style-type: none"> Recommend for NDMF, subject to the SEC approval. DPR needs to be resubmitted as per NDMF guidelines.
65	Deputy Commissioner-cum- Chairperson DDMA	Hamirpur	DPR for providing and installation new fire hydrants at various locations at division Hamirpur, Barsar, Bhoranj, and Sujapur in District Hamirpur	Fire Mitigation	DPR	JSV	9,00,00,000	Recommended
66	Deputy Commissioner-cum- Chairperson DDMA	Hamirpur	Providing 7 new fire hydrants to NAC Nadaun Town under LWSS Nadaun.	Fire Mitigation	DPR	JSV	1,01,22,000	Recommended

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

67	Deputy Commissioner-cum-Chairperson DDMA	Hamirpur	Channelization on right bank of seer khad at Jahu in Tehsil Bhoranj Distt. Hamirpur	Flood Mitigation	DPR	JSV Bhoranj	9,92,00,000	Recommended
68	Town and Country Planning	HP	Spatial Planning for Three Priority Districts of Shimla, Kullu and Kangra	Non Structural Mitigation	Project Proposal	TCP	7,20,00,000	Recommended
69	DC-cum Chairperson DDMA Kangra	Kangra	Proposal to Provide Protection Work on Dehar Khad by Mitigating Flood/Landslide Hazard in Tehsil Jawali, Distt Kangra (HP)	Flood Mitigation	DPR	JSV Jawali	5,74,00,000	Recommended
70	DC-cum Chairperson DDMA Kangra	Kangra	Channelization of Nallah No.-45 in Ward No.-7 in Dharamshala Constituency, Distt. Kangra (HP)	Flood Mitigation	DPR	JSV-Dharamshala	8,62,11,000	Recommended in Principle with modifications:- <ul style="list-style-type: none"> • Flood modelling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the river • Discharge at different section need to be measured.
71	DC-cum Chairperson DDMA Kangra	Kangra	Channelization of Nallah No.-7 in Ward No.-3 in Dharamshala Constituency, Distt. Kangra (HP) (Under State Disaster Mitigation Fund)	Flood Mitigation	DPR	JSV-Dharamshala	3,89,00,000	Recommended in Principle with modifications:- <ul style="list-style-type: none"> • Flood modelling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the river • Discharge at different section need to be measured. • The Cost mentioned in PAC-III, by the IA was ₹ 389000 and same was approved, however the project cost is ₹ 38900000 and difference of the amount need to be approved by the SEC.
72	DC-cum Chairperson DDMA Kangra	Kangra	Provide Continuous Water for Irrigation to Sidhatha area by Mitigation of Land Slide/Flood Hazard for Sidhatha Medium Irrigation Project in Tehsil Jawali Distt. Kangra (H.P)	Flood Mitigation	DPR	JSV Jawali	6,91,70,000	Recommended in Principle with modifications:- <ul style="list-style-type: none"> • Flood modelling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the river • Water Discharge of nallah should be calculated
73	DC-cum Chairperson DDMA Kangra	Kangra	Channelization of Nallah No.-22 in ward No.-5 in Dharamshala Constituency, Distt. Kangra (HP) (Under State Disaster Mitigation Fund)	Flood Mitigation	DPR	JSV-Dharamshala	4,86,87,000	Recommended in Principle with modifications:- <ul style="list-style-type: none"> • Flood modelling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the river • Water Discharge of nallah should be calculated.

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

74	DC-cum Chairperson DDMA Kangra	Kangra	Channelization of Nallah No.-50 in Ward No.-7 in Dharamshala Constituency, Distt. Kangra (HP) (Under State Disaster Mitigation Fund)	Flood Mitigation	DPR	JSV-Dharamshala	2,26,20,000	Recommended in Principle with modifications:- <ul style="list-style-type: none"> Flood modelling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the river Water Discharge of nallah should be calculated.
75	DC -cum- Chairperson DDMA Kangra	Kangra	Proposal to Provide Protection Work on Kuther Khad by Mitigation Flood/Landslide Hazard in Tehsil Jawali, Distt Kangra (HP)	Flood Mitigation	DPR	JSV Jawali	7,00,00,000	Recommended in Principle with modifications:- <ul style="list-style-type: none"> Water Discharge of nallah should be calculated. Material characteristic and quantity confirmation needs to be conducted. Historical analysis of past HFL data along with the present precipitation trends. Cross sections of the proposed site (rivers) at 100m distance are required.
76	DC -cum- Chairperson DDMA Kangra	Kangra	Providing Fire Hydrant in Dehra Town in Tehsil Dehra Distt. Kangra (HP)(Sub Head :- Providing & Installation of Fire Hydrant in Dehra Town)	Fire Mitigation	DPR	JSV Dehra	2,56,94,000	Recommended
77	DC -cum- Chairperson DDMA Kangra	Kangra	Mitigation of Landslide/Flood Hazard For Kotla Town in Tehsil Jawali Distt.Kangra	Flood Mitigation	DPR	JSV Jawali	4,89,00,000	Recommended
78	DC -cum- Chairperson DDMA Kangra	Kangra	Flood Mitigation Measures to Safeguard R.G.G.E.C Kangra from Joggal Khad in Tehsil Nagrota Bagwan, Distt. Kangra (HP)	Flood Mitigation	DPR	JSV Nagrota Bagwan	4,23,81,870	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> Site development plan need to be incorporated DPR not properly explaining the proposed work. The Cost mentioned in PAC-III, by the IA was ₹ 42350000 and same was approved, however the project cost is ₹ 42381870 and difference of the amount need to be approved by the SEC Historical analysis of past HFL data along with the present precipitation trends.
79	DC -cum- Chairperson DDMA Kangra	Kangra	DPR for providing mitigation measures to protect Khara Nallah at ward No 4 & 5 in Municipal Corporation Jawalamukhi town under State Disaster Mitigation Fund. (Sub Head :- C/O RCC open through at RD 00 to 240 and 312 to 425=353 mtrs length and C/O RCC Box/Barrel at RD 240 to 312 =72 mts. Total Length = 425 mtrs.)	Flood Mitigation	DPR	JSV Dehra	4,18,78,000	Project shall be re-examined by IA <ul style="list-style-type: none"> The title of project reflect that implementing agency needs to repair a long stretch which is not feasible under SDMF.

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

80	DC –cum- Chairperson DDMA Kangra	Kangra	DPR for Providing mitigation measure to protect Gowsadan at Luthan and village Luthan under in Tehsil Jawalamukhi Distt - Kangra (HP) (Sub Head :- Construction of Wire crate)	Flood Mitigation	DPR	JSV Dehra	3,61,89,400	Recommended in Principle with modifications:- <ul style="list-style-type: none"> The cost of the project need to be revised
81	DC –cum- Chairperson DDMA Kangra	Kangra	Regarding the Disaster Related Mitigation (Chari to Ghera Road) work in Shahpur Kangra	Landslide Mitigation	DPR	HPPWD Shahpur	2,27,14,083	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> The Cost mentioned in PAC-I, by the IA was ₹ 7608079 and same was approved, however the project cost is ₹ 22714083 and difference of the amount need to be approved by the PAC Project is required to be reinvestigated for adequate drawing of structure at vulnerable locations The detailed timeline of the project needs to be re-submitted. Proper GIS Map required
82	DC –cum- Chairperson DDMA Kangra	Kangra	DPR for providing mitigation JSV works to safeguard the Rajiv Gandhi Government Engineering College and adjoining valuable land from Sinh Nallah and JSV Division Store Nagrota Bagwan in Tehsil Nagrota Bagwan District Kangra	Landslide Mitigation	DPR	JSV Dharamshala	3,39,34,000	Recommended in Principle with modifications:- <ul style="list-style-type: none"> The Cost mentioned in PAC-II, by the IA was ₹ 33956000 and same was approved, however the project cost is ₹ 22714083 and difference of the amount need to be approved by the PAC Drawing and designed need to be revised The title of the project was approved as a providing flood protection work to Sinh Nallah to protect the private property Jal Shakti Vibhag Sewerage line and Sewerage Treatment Plant at Village Massal in Tehsil Nagrota Bagwan Distt. Kangra (H.P.) and presently it has been changed. The title need to be approved by the SEC.
83	DC –cum- Chairperson DDMA Kangra	Kangra	Regarding the Disaster Related Mitigation (Boh) Bhanala Rulehar road work in Shahpur Kangra	Landslide Mitigation	DPR	HPPWD Shahpur	93,22,535	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> Project is required to be reinvestigated for adequate drawing of structure at vulnerable locations. Landslide prone area required to be investigated. The detailed timeline of the project needs to be submitted.
84	DC –cum- Chairperson DDMA Kangra	Kangra	Land Slide Mitigation of Gaggal Chetru Dharamshala Mecleodganj Road Kotwali Bazar Near Kali Mata Mandir At Dharamshala	Landslide Mitigation	DPR	HPPWD Dharamshala	17,30,18,302.3	Recommended <ul style="list-style-type: none"> Recommend for NDMF, subject to the SEC approval.
85	DC –cum- Chairperson DDMA Kangra	Kangra	DPR for land mitigation measures to meet recurring crosion due to Joggal Khad to protect Massal-Sakra Basti road in tehsil Nagrota Bagwan, distt. Kangra	Landslide Mitigation	DPR	HPPWD Nagrota Bagwan	81,14,000	Recommended

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

86	DC –cum- Chairperson DDMA Kangra	Kangra	DPR for land mitigation measures to meet recurring erosion due to Niugar nallah to protect Massal - Parmar basti road in tehsil Nagrota Bagwan, distt. Kangra (HP)	Landslide Mitigation	DPR	HPPWD Nagrota Bagwan	1,02,10,000	Recommended in Principle with modifications:- <ul style="list-style-type: none"> • Geotextiles need to be incorporated for slope stabilization through filtering • A layer of filter material need to be placed over the area in which the vertical drains are installed, with outlets leading beyond the embankment slope line
87	DC –cum- Chairperson DDMA Kangra	Kangra	DPR of Dharamshala to Khaniyara Road Km 0/00 to 8/000 in Tehsil Dharamshala Distt. Kangra (H.P.)	Landslide Mitigation	DPR	HPPWD Dharamshala	1,55,40,000	Project shall be re-examined by IA <ul style="list-style-type: none"> • The title of project reflect that implementing agency needs to repair a long stretch which is not feasible under SDMF.
88	DC –cum- Chairperson DDMA Kangra	Kangra	DPR of Khara Danda Road Km 0/00 to 1/350 in Tehsil Dharamshala Distt. Kangra (H.P.)	Landslide Mitigation	DPR	HPPWD Dharamshala	77,55,000	Project shall be re-examined by IA <ul style="list-style-type: none"> • The title of project reflect that implementing agency needs to repair a long stretch which is not feasible under SDMF.
89	DC-cum- Chairperson- DDMA Kangra	Kangra	Reflector collars on stray animals to minimize the incidence of road mishapping	Non Structural Mitigation	DPR	DDMA	14,22,240	Recommended
90	DC –cum- Chairperson DDMA Kinnaur	Kinnaur	Flood protection work of rain damages to Gangarang Nallah in GP Sangla	Flood Mitigation	DPR	JSV Reckong Peo	1,80,59,300	Project shall be re-examined by IA <ul style="list-style-type: none"> • Under SDMF, there is no provision to provide fund under restoration/repair related work
91	DC –cum- Chairperson DDMA	Kinnaur	Flood protection work of rain damages to Tong Tong Che Nallah in GP Sangla	Flood Mitigation	DPR	JSV Reckong Peo	1,63,18,600	Project shall be re-examined by IA Under SDMF, there is no provision to provide fund under restoration/repair related work
92	DC –cum- Chairperson DDMA	Kinnaur	Flood protection work of rain damages to Kharogla Nallah in GP Sangla	Flood Mitigation	DPR	JSV Reckong Peo	1,47,56,594	Project shall be re-examined by IA Under SDMF, there is no provision to provide fund under restoration/repair related work
93	DC –cum- Chairperson DDMA	Kinnaur	Flood protection work of rain damages to Village Bruain Tehsil Sangla	Flood Mitigation	DPR	JSV Reckong Peo	4,96,83,000	Project shall be re-examined by IA Under SDMF, there is no provision to provide fund under restoration/repair related work
94	DC –cum- Chairperson DDMA	Kinnaur	Flood protection work of rain damages to Homte in GP Kafnoo	Flood Mitigation	DPR	JSV Reckong Peo	2,52,00,000	Project shall be re-examined by IA Under SDMF, there is no provision to provide fund under restoration/repair related work

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

95	DC –cum- Chairperson DDMA Kinnaur	Kinnaur	Flood protection work to village Sapni in tehsil Sangla	Flood Mitigation	DPR	JSV Reckong Peo	5,76,60,000	Recommended
96	DC-cum Chairperson DDMA Kinnaur	Kinnaur	Flood Protection work / SMC of Shilti Nala as a remedial measure to safeguard settling/ sliding in Tehsil Kalpa Distt. Kinnaur (HP) (SH:- Protection wall cum bio Engineering work)	Flood Mitigation	DPR	Forest	89,37,157	Recommended in Principle with modifications:- <ul style="list-style-type: none"> • DPR need to resubmit in accordance with the SDMF guidelines. • River Discharge should be calculated. • Proper Engineering designed need to be incorporate. • Flood modelling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the Nallah.
97	DC-cum Chairperson DDMA Kinnaur	Kinnaur	Flood Protection work / SMC of Rukti Khad as a remedial measure to safeguard settling/ sliding in Tehsil Sangla Distt. Kinnaur (HP) (SH- Protection wall cum bio Engineering work)	Flood Mitigation	DPR	Forest	1,17,56,206	Recommended in Principle with modifications:- <ul style="list-style-type: none"> • The Cost mentioned in PAC-II, by the IA was ₹ 9000000 and same was approved, however the project cost is ₹ 11756206 and difference of the amount need to be approved by the SEC • DPR need to resubmit in accordance with the SDMF guidelines. • Water discharge of the river should be calculated. • Proper Engineering designed need to be incorporate. • Flood modelling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the Nallah.
98	DC-cum Chairperson DDMA Kinnaur	Kinnaur	Flood Protection work / SMC of Janni Khad as a remedial measure to safeguard settling/ sliding in Tehsil Sangla Distt. Kinnaur (HP) (SH:- Protection wall cum bio Engineering work)	Flood Mitigation	DPR	Forest	2,99,66,938	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> • The Cost mentioned in PAC-II, by the IA was ₹ 29800000 and same was approved, however the project cost is ₹ 29966938 and difference of the amount need to be approved by the SEC • DPR need to resubmitted in accordance with the SDMF guidelines. • River discharge should be calculated. • Proper Engineering designed need to be incorporate. • Flood modelling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the Nallah.

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

99	DC –cum- Chairperson DDMA Kinnaur	Kinnaur	Damages to sewerage system to village Sangla in GP Sangla distt Kinnaur HP.	Flood Mitigation	DPR	JSV Reckong Peo	4,06,48,000	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> Water discharge of the river should be calculated. Flood modelling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the Nallah. Under SDMF, there is no provision to provide fund under restoration/repair related work.
100	Jal Shakti vibhag	Kinnaur	Flood protection work/channelization of Kotangtee Khas as a remedial measure to safeguard settling/sliding in tehsil Kalpa distt. Kinnaur HP.	Flood Mitigation	DPR	JSV Reckong Peo	1,87,72,052	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> Water discharge of the river should be calculated. Flood modelling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the Nallah.
101	DC-cum Chairperson DDMA Kinnaur	Kinnaur	Slope stabilization and rock fall mitigation works at Km 3/200 to 3/600 along hill side of Link road to village Hango. (SH:-Removing of loose rock mass, Construction of Gabion walls in benches in sliding zones, and providing Erosion mat in sliding zone and providing Mechanically Woven Hexagonal Shaped Wire Mesh netting in essential portions etc.)	Landslide Mitigation	DPR	HPPWD Kalpa	3,77,35,647	Recommended
102	DC-cum Chairperson DDMA Kinnaur	Kinnaur	Slope stabilization and rock fall mitigation works at Km 7/00 to 7/300 along hill side of Link road to village Asrang. (SH:-Removing of loose rock mass, Construction of Gabion walls in benches in sliding zones, and providing Erosion mat in sliding zone and providing Mechanically Woven Hexagonal Shaped Wire Mesh netting in essential portions etc.)	Landslide Mitigation	DPR	HPPWD Kalpa	2,25,46,652	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> DPR need to resubmitted in accordance with the SDMF guidelines.
103	HPSDMA	Kullu	Block C (HP-KU-27-C) Electrical building, District Kullu, HP.	Earthquake	DPR	HPSDMA	9,26,061	Recommended
104	HPSDMA	Kullu	Block-D (HP-KU-27-D) Electrical building, District Kullu, HP.	Earthquake	DPR	HPSDMA	14,92,757	Recommended

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

105	HPSDMA	Kullu	Block-B (HP-KU-27-B) Electrical building, District Kullu, HP.	Earthquake	DPR	HPSDMA	40,58,138	Recommended
106	HPSDMA	Kullu	Block-A (HP-KU-27-A) Electrical building, District Kullu, HP.	Earthquake	DPR	HPSDMA	1,56,68,528	Recommended
107	DC –cum- Chairperson DDMA Kullu	Kullu	Providing FPW for HRTC Workshop at Bashing in Tehsil and Distt. Kullu, HP (SH:- C/o retaining wall with skin reinforcement along with apron.	Flood Mitigation	DPR	JSV Katrain	6,41,46,352	Recommended <ul style="list-style-type: none"> TAC recommended but PAC recommendation is required before to consider in SEC.
108	DC –cum- Chairperson DDMA Kullu	Kullu	Providing Flood Protection Work on River Parvati at Manikaran Town in Tehsil Bhunter, Kullu Distt. HP	Flood Mitigation	DPR	JSV Kullu	6,99,98,247	Recommended
109	DC –cum- Chairperson DDMA Kullu	Kullu	Flood Mitigation and Embankment Protection work to various vulnerable areas (Land, Property, Residential houses and Commercial)near Samudayik Bhavan toward Tibetan School in MC Kullu Distt. Kullu, HP	Flood Mitigation	DPR	JSV Kullu	6,64,56,200	Recommended
110	DC –cum- Chairperson DDMA Kullu	Kullu	Flood Mitigation and Embankment protection work in vulnerable areas (Land, property, Residential Houses and Commercial) for SSB Campus to Sabzi Mandi Bhunter in MC Bhunter Distt. Kullu, HP	Flood Mitigation	DPR	JSV Kullu	31,23,98,125	Recommended in Principle with modification:- <ul style="list-style-type: none"> Recommended for NDMF, Subject to SEC approval.
111	DC –cum- Chairperson DDMA Kullu	Kullu	Flood Mitigation and Embankment protection work in vulnerable areas (Land, property, Residential Houses and Commercial) for Sangam Ghat toward Radha Krishan Temple in MC Bhunter Distt. Kullu, HP	Flood Mitigation	DPR	JSV Kullu	6,13,74,800	Recommended
112	DC –cum- Chairperson DDMA Kullu	Kullu	Flood Mitigation and Embankment protection work in vulnerable areas (Land, property, Residential Houses and Commercial) for Tibetan School to Hanumaani Baag in MC Kullu Distt. Kullu, HP	Flood Mitigation	DPR	JSV Kullu	6,64,56,200	Recommended
113	Executive Engineer JSV Division Larji, Distt. Kullu	Kullu	Providing FPW on Jibhi Khad at Hidab Ghiyaghi Jibhi Dawala and Damothi and on Tirthan Khad at Bathad Phariyadi Gushaini Sairopa Deori and Kandhidhar and Kaluropa Khundan to Manglore in Tehsil Banjar Distt. Kullu	Flood Mitigation	DPR	JSV Larji	6,55,32,173	Recommended in Principle with modification:- <ul style="list-style-type: none"> The Cost mentioned in PAC-II, by the IA was ₹ 65526631 and same was approved, however the project cost is ₹ 65532173 and difference of the amount need to be approved by the SEC

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

114	Executive Engineer JSV Division Larji, Distt. Kullu	Kullu	Providing Flood Protection work to Tirthan khad in Tehsil Banjar Distt. Kullu, HP (SH:- C/o wire crate & PCC Gravity Retaining wall on both banks of Tirthan Khad	Flood Mitigation	DPR	JSV Larji	41,51,25,447	Recommended in Principle with modification: •The Cost mentioned in PAC-II, by the IA was ₹ 19503417 and same was approved, however the project cost is ₹ 415125447 and difference of the amount need to be approved by the SEC Recommend for NDMF, subject to the PAC & SEC approvals.
115	Executive Engineer J.S Division Larji	Kullu	Providing and Installations of Fire Hydrant at Banjar Town & C/O Water storage tank for fire fighting purpose at various locations under Jal Shakti Division Larji.	Fire Mitigation	DPR	J.S Division Larji	1,50,69,000	Recommended in Principle with modification: • TAC recommended but PAC recommendation is required before to SEC. • Need to club both the proposals and resubmitted accordingly • Estimated cost need be revised.
116	DC –cum- Chairperson DDMA Kullu	Kullu	Estimate for Supply, Installation, testing & Commissioning of firefighting system for Banjar Town in Tehsil Banjar Distt. Kullu HP (SH: Providing, Laying and Jointing of GI pipes 80 mm dia, C/o Zinc aluminium tank of 1.00 Lac litre capacity, P/F of fire hydrant)	Fire Mitigation	DPR	JSV Larji	48,66,331	
117	Executive Engineer, Jal Shakti Division Katrain.	Kullu	Providing, supplying and fixing of fire hydrant in Manali Town at different locations.	Fire Mitigation	DPR	Jal Shakti Division Katrain	22,16,524	Recommended TAC recommended but PAC recommendation is required before to SEC.
118	Executive Engineer J.S Division	Kullu	Providing Fire hydrant in Kullu Town in Tehsil & Distt. Kullu (SH:- Providing and fixing fire hydrant in Kullu Town in different locations)	Fire Mitigation	DPR	J.S Division Kullu	15,75,285	Recommended TAC recommended but PAC recommendation is required before to SEC.
119	Superintending Engineer Jal Shakti Circle	Kullu	Construction/ providing Fire Hydrants in NP Anni in Anni Block Distt. Kullu (HP).	Fire Mitigation	DPR	Jal Shakti Circle Kullu	1,18,11,876	Recommended TAC recommended but PAC recommendation is required before to SEC.
120	Superintending Engineer Jal Shakti Circle	Kullu	Construction/ providing Fire Hydrants in NP Nirmand Block Distt. Kullu (HP).	Fire Mitigation	DPR	Jal Shakti Circle Kullu	79,61,488	Recommended TAC recommended but PAC recommendation is required before to SEC.
121	DC-cum Chairperson DDMA	Kullu	Estimate for providing Fire Hydrants at various Location, Kullu	Fire Mitigation	DPR	JSV Katrain	38,61,723	Recommended TAC recommended but PAC recommendation is required before to SEC.
122	DC –cum- Chairperson DDMA	Kullu	Estimate for Supply, Installation, Testing & Commissioning of fire fighting system for Sainj Town in Tehsil Sainj Distt. Kullu, HP	Fire Mitigation	DPR	JSV Larji	11,86,84,446	Recommended TAC recommended but PAC recommendation is required before to SEC.

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

123	DC-cum-Chairperson DDMA Kullu	Kullu	C/o storage tanks for the fire fighting in various locations under Jal Shakti Division Larji Distt. Kullu HP (SH: Providing, Laying and jointing of GI pipes 80 mm dia & 32 mm dia, C/o Zink aluminium tank of 1.00 Lac litre capacity, P/F of fire hydrant)	Fire Mitigation	DPR	JSV Larji	3,27,49,592	Recommended TAC recommended but PAC recommendation is required before to SEC.
124	DC-cum-Chairperson DDMA Lahaul Spiti	Lahaul Spiti	Channelization of Village Mudh in GP Sagnam in Spiti Valley.	Flood Mitigation	DPR	JSV Kaza	2,18,78,818	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> • Need to be included a water discharge report of the river • Baseline survey report is required • Historical analysis of past HFL data in consonance with the present precipitation trends.
125	DC-cum-Chairperson DDMA Lahaul Spiti	Lahaul Spiti	Channelization of Village Khulaskar & Lossar in GP Lossar in Spiti valley.	Flood Mitigation	DPR	JSV Kaza	2,81,20,120	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> • Need to be included a water discharge report of the river • Baseline survey report is required • Historical analysis of past HFL data in consonance with the present precipitation trends.
126	DC-cum-Chairperson DDMA Lahaul Spiti	Lahaul Spiti	Channelization of Village Gue in Spiti Valley.	Flood Mitigation	DPR	JSV Kaza	3,94,29,495	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> • Need to be included a water discharge report of the river • Baseline survey report is required • Flood plain area should be demarcated clearly on GIS map. • Discharge at different section need to be measured. • Historical analysis of past HFL data in consonance with the present precipitation trends.
127	DC-cum-Chairperson DDMA Lahaul Spiti	Lahaul Spiti	Channelization of Village Sagnam in GP Sagnam in Spiti Valley.	Flood Mitigation	DPR	JSV Kaza	4,13,00,825	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> • Need to be included a water discharge report of the river • Baseline survey report is required • Flood modeling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the river. • Historical analysis of past HFL data in consonance with the present precipitation trends.

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

128	DC-cum-Chairperson DDMA Lahaul Spiti	Lahaul Spiti	Channelization of Village Schilling & Shushu Naa in GP Dhankar in Spiti Valley.	Flood Mitigation	DPR	JSV Kaza	5,11,83,472	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> • Discharge at different section need to be measured. • Baseline survey report is required • Flood modeling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the river.
129	HPSDMA	Mandi	Block -G (HP-MA-29-G) Vallabh Govt. College District Mandi.	Earthquake	DPR	HPSDMA	17,66,125	Recommended
130	HPSDMA	Mandi	Block-A(HP-MA-32-A) BSNL Office Distt. Mandi HP	Earthquake	DPR	HPSDMA	61,55,631	Recommended
131	HPSDMA	Mandi	Block -B (HP-MA-29-B) Vallabh Govt. College District Mandi.	Earthquake	DPR	HPSDMA	1,04,26,797	Recommended
132	HPSDMA	Mandi	Block -A (HP-MA-29-A) Vallabh Govt. College District Mandi.	Earthquake	DPR	HPSDMA	1,30,81,509	Recommended
133	HPSDMA	Mandi	Block -E (HP-MA-29-E) Vallabh Govt. College District Mandi.	Earthquake	DPR	HPSDMA	2,08,58,673	Recommended
134	HPSDMA	Mandi	Block -F (HP-MA-29-F) Vallabh Govt. College	Earthquake	DPR	HPSDMA	2,66,03,786	Recommended
135	HPSDMA	Mandi	Block-B (HP-MA-34-B) Beas Sada District Mandi.	Earthquake	DPR	HPSDMA	2,75,73,638	Recommended
136	HPSDMA	Mandi	Block-A (HP-MA-34-A) Vipasa Sadan District Mandi.	Earthquake	DPR	HPSDMA	2,96,79,443	Recommended
137	HPSDMA	Mandi	Block -C (HP-MA-29-C)Vallabh Govt. College District Mandi.	Earthquake	DPR	HPSDMA	4,42,84,018	Recommended

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

138	HPSDMA	Mandi	Block -D (HP-MA-29-D)Vallabh Govt. College District Mandi.	Earthquake	DPR	HPSDMA	4,59,12,643	Recommended
139	DC –cum- Chairperson DDMA	Mandi	Providing Flood Protection Works and Channelization on river Beas near village Dol in Tehsil lad Bharol Distt. Mandi, HP	Flood Mitigation	DPR	JSV Chaurtra	7,09,52,000	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> • Discharge at different section need to be measured. • Baseline survey report is required • Flood modeling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the river.
140	DC –cum- Chairperson DDMA	Mandi	Providing Flood Protection Works and Channelization on Dol nallah, Cho Nallah and Gadiara nallah near village Dol in Tehsil lad bharol Distt. Mandi, HP	Flood Mitigation	DPR	JSV Chaurtra	7,20,37,000	To be put before next TAC, after removal of these observation <ul style="list-style-type: none"> • Discharge at different section need to be measured. • Baseline survey report is required • Flood modeling as per CWC guidelines and BIS code need to incorporate and planned considering the HFL of the river.
141	HPSDMA	Shimla	Peterhoff Shimla, Near Chaura Maidan Shimla.	Earthquake	DPR	HPSDMA	12,13,081	Recommended
142	HPSDMA	Shimla	Block A (HP-SH-46-A) State Museum District Shimla.	Earthquake	DPR	HPSDMA	3,14,77,078	Recommended
143	DC-cum Chairperson DDMA Shimla	Shimla	Landslide Mitigation on Gumma Baghi Narkanda road MDR-54 under HPPWD Division Kotkhai	Landslide Mitigation	DPR	HPPWD Shimla-02	13,13,49,055	<ul style="list-style-type: none"> • Need to recheck the stability design and calculation. • Segregate the DPR's for different stretches, this DPR being for a very long stretch/RD and re-submit before PAC
144	DC –cum- Chairperson DDMA	Solan	Detailed Project Report for Landslide Mitigation of Arki Manju Khanalag Road KM 1/120 to 1/700 in Tehsil Arki, Distt. Solan, HP	Landslide Mitigation	DPR	HPPWD Arki	1,32,57,000	Project shall be re-examined by IA <ul style="list-style-type: none"> • The title of project reflect that implementing agency needs to repair a long stretch which is not feasible under SDMF.
145	DC –cum- Chairperson DDMA	Solan	Landslide Mitigation measures at Shamti Solan	Landslide Mitigation	DPR	JSV Solan	92,22,000	The work(s) seem to be of similar nature as such PWD submitted Single proposal by any of the IAs may be submitted






Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

146	DC-cum-Chairman DDMA Solan	Solan	Landslide Mitigation of Jabbal Maan Bawasi Ghambarpul Road km 7/990 to 8/100 in Tehsil Arki, Distt. Solan	Landslide Mitigation	DPR	HPPWD Arki	1,24,79,000	Project shall be re-examined by IA The title of project reflect that implementing agency needs to repair a long stretch which is not feasible under SDMF.
147	DC-cum-Chairman DDMA Solan	Solan	Landslide mitigation and Flood Management in Solan District at Shamti Area (Landslide Mitigation and Flood Management in Solan at RD 3/005, 3/015 to 4/335 on MDR-2 and RD 3/448, 4/275, 4/165,4/070, 4/040, 3/930, 3/830 on Jatoli Damrog, road distt. Solan) (SH: Channelization of nallah slope stabilization, C/o Protection works, C/o cross drainage, C/o U-Shape drain)	Landslide Mitigation	DPR	HPPWD, 3rd Circle, B & R Division Solan	7,36,13,549	Recommended in Principle with modification:- <ul style="list-style-type: none"> • Joint proposal should be submitted by JSV and PWD department • Cost need to be recalculate accordingly
148	DC-cum-Chairman DDMA Solan	Solan	Landslide Mitigation and Flood Management in Rural Residential Sadhupul Area, Solan District, Himachal Pradesh	Landslide Mitigation	DPR	HPPWD, B& R Division, Solan	1,50,00,000	Recommended
149	DC-cum-Chairman DDMA Solan	Solan	Regarding Submission of Project Proposals on SDMF & its implementation as per guidelines of 15th Finance commission.	Fire Mitigation	DPR	Forest Department Div. Solan	10,37,500	Project shall be re-examined by IA Titles of project proposals does not clearly and accurately reflected the work described in DPR
150	DC-cum-Chairman DDMA Solan	Solan	Regarding providing water storage facility for firefighting in Nalagarh region in Tehsil Nalagarh, Distt. Solan, HP	Fire Mitigation	DPR	JSV Nalagarh	4,75,90,820	Recommended TAC recommended but PAC recommendation is required before to consider in SEC.
151	Executive Engineer JSV, Una	Una	Providing flood protection at Ghaluwal in Tehsil Haroli Distt. Una (SH:- C/O 300 Rmt Long G.I wire crate in apron, slope pitching and Toe Key along the embankment damaged at various RD's near Ghaluwal Rest House.	Flood Mitigation	DPR	JSV Division-1 Una	70,94,602	Recommended
152	Executive Engineer JSV, Una	Una	Providing Flood Protection at Haroli Khad in Tehsil Haroli Distt.Una. (SH:- C/O 1250 Rmt Long G.I Wire Crate in apron, various RD's Haroli Khad.	Flood Mitigation	DPR	JSV Division-1 Una	75,31,461	Recommended
153	Executive Engineer JSV, Una	Una	Providing Flood Protection in Bhadsali Har to save abadies of Mohalla tholian in Tehsil Haroli Distt.Una (H.P.) (SH:- C/O Earthen Embankment with apron, Slope pitching and Toe wallon tholian khad.	Flood Mitigation	DPR	JSV Division-1 Una	3,68,33,044	Recommended
154	Executive Engineer JSV, Una	Una	Pdg Flood Protection work in Bathari Khad to save cultivated land, market, industries and abadies in tehsil Haroli Distt. Una (SH: C/O wire crated wall at RD 1700/0/1500 to 1700 on both side of Bathri Khad on Right bank of Swan River.	Flood Mitigation	DPR	JSV Division-1 Una	94,85,000	Recommended

Project Management Unit-(PMU) - HPSDMA
3rd TECHNICAL APPRAISAL COMMITTEE MEETING, (10th January, 2024)
Decisions of the Meeting

155	Executive Engineer JSV, Una	Una	Providing Flood Protection work in Pandoga Industrial area to save the abadies of Harizan Basti in Village Pandoga tehsil Haroli Distt.Una (H.P.)	Flood Mitigation	DPR	JSV Division-1 Una	2,09,35,495	Recommended
							Total	619,96,41,880

The DPRs from Sr. No. 1 to 155 were evaluated by the following experts:-

Dr. Rohit Chauhan (GIS & RS Spl.)	Dr. Sandip Kumar Saha, (Associate Prof.), IIT Mandi	Dr. Kesar Chand (Scientist C) GB Pant Institute-Mohal, Kullu	Dr. K.V.Uday (Associate Prof.), IIT Mandi	Dr. B. R. Thakur (Associate Prof.), (HP University)
				
Dr. R.S. Banshtu (Associate Prof.),NIT Hamirpur	Dr. S. S. Randhawa (Principal Scientific Officer, HIMCOSTE)	Dr. Ajay Chourasia (Chief Scientist, CBRI Roorkee)	Dr. S.K. Negi (Chief Scientist, CBRI Roorkee)	Er. B.S Thakur (SE-JSV Shimla Circle)
